

## **Publikationen 2004**

Plasma Homocysteine and Restenosis after Femoropopliteal Angioplasty

T. Kovacevic, B. van der Loo, B. Amann-Vesti, V. Rousson, R. Koppensteiner

J Endovasc Th 2004; 11: 302-309

Microangiopathy of split skin grafts in venous ulcers

B. Amann-Vesti, C. Ruesch, G. Gitzelmann, J. Hafner, R. Koppensteiner

Dermatol Surg 2004; 30:399-402.

Platelet aggregation and blood rheology in sepsis: relation to SOFA score

E. Alt, B. Amann-Vesti, Ch. Madl, G. Funk, R. Koppensteiner

Clin Hemorheol und Microcirculation 2004; 30: 107-115

High wall shear stress measured by magnetic resonance is a predictor of restenosis in the femoral artery after balloon angioplasty

B. Amann-Vesti, S. Kozerke, E. Krieger, P. Boesiger, R. Koppensteiner

International Angiology 2004; in press

C-reactive protein and red cell aggregation correlate with late venous function following acute deep venous thrombosis (DVT)

E. Krieger, B. van der Loo, B. Amann-Vesti, R. Koppensteiner

J Vasc Surg 2004; 40:644-649

Assessment of Skeletal Muscle Perfusion by Contrast Medium First-Pass Magnetic Resonance Imaging: Technical Feasibility and Preliminary Experience in Healthy Volunteers

A.M. Lutz, D. Weishaupt, B.R. Amann-Vesti, Th. Pfammatter, K. Goepfert, B. Marincek, D. Nanz

J Magn Reson Imaging 2004; 20:111-121

Ulcus cruris bei Kollagenosen

G Dragieva, D. Mayer, B.R. Amann-Vesti, S. Läuchli, R.M. Trüeb, J. Hafner

Phlebologie 2004; 33: 37-46

Pentoxifylline attenuates the increase in whole blood viscosity after transfusion

E. Eggensberger, R. Koppensteiner, N. Mayer, W. Klimscha, A. Bacher

Acta Anaesthesiologica Scandinavica, in press (accepted August 2004)

Acroparesthesia and acral arterial occlusion of toe as complications in essential thrombocythemia

M. Husmann, G. Schenk-Romer, B.R. Amann-Vesti, S. Spada, R. Koppensteiner  
VASA, in press (accepted September 2004)

Microcirculation abnormalities in patients with fibromyalgia, measured by capillary microscopy and laser fluxmetry

S. Morf, B. Amann-Vesti, A. Forster, U. Franzeck, R. Koppensteiner, D. Uebelhart, H. Sprott.  
Arthritis Research und Therapy 2004, 7: R209-R216

Blood rheology and outcome after femoropopliteal percutaneous transluminal angioplasty (PTA): role of plasma viscosity and low platelet count in predicting restenosis

Bernd van der Loo, Tamara Kovacevic, Elisabeth Krieger, Susanne Banyai, Martin Banyai, Beatrice R. Amann-Vesti, Dorijan Jagacic, Valentin Rousson, Renate Koppensteiner  
Clin Hemorheol and Microcirc (accepted November 2004)

Hypoplasie der descendierenden Aorta thoracalis und der Aorta abdominalis bei Williams-Beuren-Syndrom

G. Schenk Romer, D. Weishaupt, R. Koppensteiner  
VASA (accepted November 2004)

Meli M., Gitzelmann G., Koppensteiner R., Amann-Vesti B.R.:

Diagnostic predictive value of Nailfold Capillaroscopy in patients with Raynaud's phenomenon.  
Annals of Rheumatic Diseases (accepted 2004)

Gallino A., Do D., Alerci M., Baumgartner I., Cozzi L., Segatto JM., Bernier J., Tutta P., Kellner F., Triller J., Schneider E., Amann-Vesti B., Studer G., Jäger K., Aschwanden M., Canevascini R., Jacob AL., Kann R., Greiner R., Mahler F.:

Effects of Probucol (P) Versus Aspirin (A) and Versus Brachytherapy (B) on Restenosis After Femoropopliteal Angioplasty: The PAB Randomized Multicenter Trial"  
J Endovasc Ther, 11(6):595-604, 2004