

Publikationen 2004

Originalpublikationen

Dubey RK, Gillespie DG, Grögli M, Kloosterboer HJ, Imthurn B. (2004) Tibolone and its metabolites induce antimitogenesis in human coronary artery smooth muscle cells: Role of estrogen-, progesterone- and androgen-receptors.

J Clin Endocrinol Metab 89: 852-859.

Zacharia LC, Dubey RK, Jackson EK. (2004) A gas chromatography mass spectrometry assay to measure estradiol, catecholestrodiols and methoxyestrodiols in plasma.

Steroids 69:255-261.

Zacharia LC, Piche CA, Fielding RM, Holland KM, Allison DS, Dubey RK, Jackson EK. (2004) 2-Hydroxyestradiol is a prodrug of 2-methoxyestradiol.

J Pharmacol Expt Therap 309:1093-1097.

Barchiesi F, Jackson EK, Imthurn B, Fingerle J, Gillespie DG, Dubey RK. (2004) Differential regulation of regulation receptor subtypes alpha and beta in human aortic smooth muscle cells by oligonucleotides and estradiol.

Clin Endocrinol Metab 89:2373-81.

Dubey RK, Jackson EK, Gillespie DG, Zacharia LC, Imthurn B. (2004) Catecholamines block the anti-mitogenic effects of estradiol on human coronary artery smooth muscle cells.

J Clin Endocrinol Metab 89:3922-3931.

Leeners B, Funk A, Lopez-Cotarelo C, Sauer AI. (2004) Two sibs with fibrochondrogenesis.

Am J Med Gen 127A:318-320.

Gnirss-Bormet R. (2004) Libidostörungen.

Psychotherapeut 49:341-349.

Imthurn B, Achermann J, Klug Arter M, Macas E. (2004) Preimplantation diagnosis in Switzerland - birth of a healthy child after polar body biopsy.

Swiss Med Wkly 134:254-258.

Dubey RK, Jackson EK, Gillespie DG, Rosselli M, Barchiesi F, Krust A, Keller H, Zacharia LC, Imthurn B. CYP1A1/CYP1B1- and COMT-derived metabolites mediate estradiol-induced antimetastasis in human cardiac fibroblast.

J Clin Endocrinol Metab (2004; im Druck).

Leeners B, Sauer I, Funk A. Acute (AEDV) and reversible absence of end-diastolic flow (REGV) in the umbilical artery and brainsparing effect in a case with umbilical cord strangulation.

Prenatal Diagnosis (2004; im Druck).

Übersichtsarbeiten

Jackson EK, Dubey RK. (2004) The extracellular cAMP-adenosine pathway in renal physiology.

Annu Rev Physiol 66: 571-599.

Dubey RK, Tofovic SP, Jackson EK. (2004) Cardiovascular pharmacology of estradiol metabolites.

J Pharmacol Exp Ther 388; 403-409.

Dubey RK, Imthurn B, Zacharia LC, Jackson EK. (2004) Hormone replacement therapy and cardiovascular disease: What went wrong and where do we go from here?

Hypertension 44; 789-95.

Böni R, Imthurn B. (2004) Haut, Menopause und Hormone.

Schweiz Med Forum 4:953-957.

Dubey RK, Imthurn B, Barton M, Jackson EK. Vascular consequences of menopause and hormone therapy: Importance of timing and type of estrogen.

Cardiovasc Res (2004; im Druck).

Bücher

Macas E. Medically Assisted Reproduction in Humans. 2004; Publisher HINUS, Zagreb, Croatia.

Buchkapitel

Leeners B. Verhaltenstherapie. Integrative Geburtshilfe, Urban und Fischer (2004; im Druck).

Leeners B, Leygraf D. Tiefenpsychologisch orientierte Körpertherapieverfahren. Integrative Geburtshilfe, Urban und Fischer (2004; im Druck).

Leeners B. Weibliche Sexualität. Integrative Gynäkologie, Urban und Fischer (2004; im Druck).

Leeners B. Psychosoziale Aspekte des Klimakteriums. Integrative Gynäkologie, Urban und Fischer (2004; im Druck).

Leeners B. Sexuelle Traumaerfahrungen. Integrative Gynäkologie, Urban und Fischer (2004; im Druck).

Leeners B. Hyperemesis gravidarum. Hrsg.: Rath, Friese, Thieme Verlag (2004; im Druck).

Leeners B. Präventivmedizinische Beratung im Rahmen der Schwangerenvorsorge, in: Verbale Interventionen, Hrsg.: Neises, Ditz. Spranz-Fogasy Wissenschaftsverlag (2004; im Druck).

Abstracts

Barchiesi F, Gillespie DG, Kloosterboer HJ, Imthurn B, Jackson EK, Dubey RK. Tibolone and its endogenous metabolite (3 α -OH-tibolone-sulfate) induce antimitogenesis in human aortic smooth muscle cells by interacting with cell cycle regulatory proteins.

86th Annual meeting of the Endocrine Society, New Orleans, 15th June – 20th June.

Dubey RK, Jackson EK, Gillespie DG, Zacharia LC, Imthurn B. Catecholamines block the antimitogenic effects of estradiol on human coronary artery smooth muscle cells.

The 58th Annual meeting for the Council for High Blood Pressure. Am. Heart Assoc. Meeting, Chicago, Oct 8th-12th, 2004.

Hypertension 44;497-594:2004.

Barchiesi F, Jackson EK, Gillespie DG, Imthurn B, Kloosterboer HJ, Dubey RK. Tibolone, a hormone therapy drug inhibits growth of human arterial smooth muscle cells by interaction with cell cycle regulatory proteins.

The 58th Annual meeting for the Council for High Blood Pressure. Am. Heart Assoc. Meeting, Chicago, Oct 8th-12th, 2004.

Hypertension 44;497-594:2004.

Dubey RK, Gillespie DG, Wright M, Meyer M, Jackson EK. Antimitogenic effects of 2-methoxyestradiol, an endogenous metabolite of estradiol, are blocked by PPAR gamma antagonist: Is 2-methoxyestradiol an endogenous PPAR gamma ligand.

The 58th Annual meeting for the Council for High Blood Pressure.

Am. Heart Assoc. Meeting, Chicago, Oct 8th-12th , 2004.

Hypertension 44;497-594:2004.

Macas E., Zweifel C, Imthurn B. Chromosomal abnormalities of spermatozoa injected into human oocytes.

Annual Meeting of the American Society of Reproductive Medicine in Philadelphia, PA USA (October 16-20, 2004).

Fertil Steril 2004; 82 (S2): S46 (O-114).

Barchiesi F, Jackson EK, Dubey RK. 2-Methoxyestradiol inhibits human aortic smooth muscle cell growth via double blockade of cell-cycle and modulation of cell-cycle regulators.

3rd Day of Clinical Research (26-27 March, 2004) held at the Center of Medical Research in University Hospital Zurich (Abstract # 63).

Rosselli M, Macas E, Imthurn B, Cattaneo R, Dubey RK. Oviduct cells metabolize b-estradiol to biologically active catechol- and methoxy-estradiols: Potential role in embryo development.

3rd Day of Clinical Research (26-27 March, 2004) held at the Center of Medical Research in University Hospital Zurich (Abstract # 64).

Dubey RK, Fingerle J, Barchiesi F, Jackson EK. 2-Methoxyestradiol, an endogenous estradiol metabolite, attenuates injury-induced neointima formation and inhibits tubulin polymerization and COX-2 expression.

3rd Day of Clinical Research (26-27 March, 2004) held at the Center of Medical Research in University Hospital Zurich (Abstract # 65).

Dubey RK, Gillespie DG, Rosselli M, Imthurn B, Jackson EK. CYP1A1/CYP1B1 and COMT derived metabolites of estradiol inhibit cardiac fibroblast (CF) growth.

3rd Day of Clinical Research (26-27 March, 2004) held at the Center of Medical Research in University Hospital Zurich (Abstract # 66).

Leeners B, Neumaier-Wagner P, Irawan C, Kuse S, Imthurn B, Rath W. Stellt Sterilität einen Risikofaktor in der Genese hypertensiver Schwangerschaftserkrankungen dar ?

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:119

Leeners B, Delex-Zointz N, Hugi A, Imthurn B, Neises M. Zur aktuellen gynäkopsychosomatischen Betreuungssituation in Deutschland.

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:35

Leeners B, Richter-Appelt H, Quarg AF, Brandenburg , Rath W. Häufigkeit sexueller Gewalterfahrungen in einem geburtshilflichen Kollektiv.

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:118

Leeners B, Neumaier-Wagner P, Kuse S, Irawan C, Beinder E, Rath W. Nikotinabusus – ein protektiver Faktor in der Genese hypertensiver Schwangerschaftserkrankungen.

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:131

Leeners B, Neumaier-Wagner P, Kuse S, Beinder E, Rath W. Subjektives Erleben der ärztlichen Aufklärung über hypertensive Schwangerschaftserkrankungen (HES) bei betroffenen Frauen.

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:132

Leeners B, Neumaier-Wagner P, Irawan C, Kuse S, Beinder E, Rath W. Sind „Scheidungskinder“ besonders gefährdet als Erwachsene eine HES zu entwickeln?

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:153

Neumaier-Wagner P, Leeners B, Rudnik-Schöneborn S, Weiskirchen R, Kuse S, Zerres, K, Rath W. Maternale und fetale Faktor V Leiden, Prothrombin G20210 A und MTHFR C677T Mutationen beim HELLP-Syndrom.

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:7

Neumaier-Wagner P, Leeners B, Rudnik-Schöneborn S, Kuse S, Zerres K, Rath W. Das 5G Allel des PAI-1 Promotor 46/56 Polymorphismus ist mit einem verminderten Risiko für ein HELLP-Syndrom assoziiert.

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:125

Neumaier-Wagner P, Leeners B, Jansen P, Kuse S, Rath W. Perinatales Outcome in (Folge-) Schwangerschaften mit hypertensiven Komplikationen.

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:175

Jansen P, Leeners B, Rath W, Kuse S, Neumaier-Wagner P. Stellt der Schwangerschaftsabstand einen Risikofaktor für das Wiederholungsrisiko der hypertensiven Schwangerschaftserkrankungen dar?

DGGG Hamburg 14.-17.09.2004

Arch Gyn Obstet 2004; Suppl. 1, 270:178

Leeners B, Neumaier Wagner P, Kuse S, Irawan C, Rath W. Increased pre-pregnancy BMI: A risk factor for pre-eclampsia, but not for HELLP-syndrome.

14th World Congress of the International Society for the Study of Hypertension in Pregnancy, Wien, 14.-17.11.2004

Hypertens Pregnancy 2004; 117

Leeners B, Neumaier Wagner P, Kuse S, Irawan C, Rath W. The role of smoking in HELLP-syndrome compared to pre-eclampsia.

14th World Congress of the International Society for the Study of Hypertension in Pregnancy, Wien, 14.-17.11.2004

Hypertens Pregnancy 2004; 117

Leeners B, Neumaier Wagner P, Kuse S, Irawan C, Rath W. Are women who's parents separated at particular risk to develop hypertensive diseases in pregnancy?

14th World Congress of the International Society for the Study of Hypertension in Pregnancy, Wien, 14.-17.11.2004

Hypertens Pregnancy 2004; 134

Leeners B, Neumaier Wagner P, Kuse S, Irawan C, Imthurn B, Rath W. Is sterility a risk factor for hypertensive diseases in pregnancy?

14th World Congress of the International Society for the Study of Hypertension in Pregnancy, Wien, 14.-17.11.2004

Hypertens Pregnancy 2004; 118

Leeners B, Neumaier Wagner P, Kuse S, Irawan C, Rath W. How content are women with hypertensive diseases in pregnancy with medical information?

14th World Congress of the International Society for the Study of Hypertension in Pregnancy, Wien, 14.-17.11.2004

Hypertens Pregnancy 2004; 57

Neumaier-Wagner P, Leeners B, Rudnik-Schöneborn S, Weiskirchen R, Kunz D, Kuse S, Zerres K, Rath W. Maternal and fetal factor Leiden, Prothrombin G20210 and MTHFR C677T mutations in the HELLP syndrome

14th World Congress of the International Society for the Study of Hypertension in Pregnancy, Wien, 14.-17.11.2004

Hypertens Pregnancy 2004; 83

Neumaier-Wagner P, Leeners B, Rudnik-Schöneborn S, Kuse S, Lindt R, Eggermann T, Zerres K, Rath W. The 5G allele of the plasminogen activator inhibitor-1 promoter 4G/5G polymorphism is associated with a lower risk for HELLP syndrome

14th World Congress of the International Society for the Study of Hypertension in Pregnancy, Wien, 14.-17.11.2004

Hypertens Pregnancy 2004;83

Leeners B, Neumaier-Wagner P, Richter-Appelt H, Görres G, Hukic E, Rath W. Auswirkungen sexueller Gewalterfahrungen auf Besuche bei Frauenärztinnen und -ärzten.

Psychosomatische Frauenheilkunde und Geburtshilfe, Beiträge der Jahrestagung 2003

Hrsg.: Wollmann-Wohlleben V, Knieling J, Nagel-Brotzler A, Neises M, Psychosozial-Verlag, edition psychosozial Giessen 2004; 207-210

Leeners B, Neumaier-Wagner P, von Detten M.-A, Rath W. Subjektiv erlebte Attraktivität – Schwangerschaft – Sexualität: Ein Widerspruch

Psychosomatische Frauenheilkunde und Geburtshilfe, Beiträge der Jahrestagung 2003

Hrsg.: Wollmann-Wohlleben V, Knieling J, Nagel-Brotzler A, Neises M, Psychosozial-Verlag, edition psychosozial Giessen 2004; 325-229

Leeners B, Neumaier-Wagner P, Kuse S, Irawan C, Rath W. Sind Essstörungen ein Risikofaktor in der Genese hypertensiver Schwangerschaftserkrankungen.

Psychosomatische Frauenheilkunde und Geburtshilfe, Beiträge der Jahrestagung 2003

Hrsg.: Wollmann-Wohlleben V, Knieling J, Nagel-Brotzler A, Neises M, Psychosozial-Verlag, edition psychosozial Giessen 2004;339-343

S.Tschudin S, Merki G.

Contraceptive counseling by male or female doctors.

Annual Congress of the European Society for Contraception, Edinburgh, 23.-26.06.2004

Eur J Contracept Reprod Health Care 2004; 9 Suppl 1:110

Merki G, Schwarz D.

A comparative study on the dislocation rate of the Mirena and the Multiload 375 intrauterine device.

Annual Congress of the European Society for Contraception, Edinburgh, 23.-26.06.2004

Eur J Contracept Reprod Health Care 2004; 9 Suppl 1:82

Schwarz D, Merki G.

The incidence of partial and complete expulsions with the Multiload 375 and the Mirena IUD.

Jahreskongress der Schweizerischen Gesellschaft für Gynäkologie und Geburtshilfe, Interlaken, Juni 2004

Gynakol Geburtshilfliche Rundsch 2004; 44:179