



Prevention of cognitive decline and falls with Dalcroze Eurhythmics and a simple home exercise program for seniors with subjective cognitive decline (SCD)

MOVE for your MIND

Prof. Heike A. Bischoff-Ferrari, MD, DrPH
Chair, Dept. of Geriatrics and Aging Research,
University of Zurich and University Hospital of Zurich

April 1st, 2016

3. References

1. EC. European economy: Special Report n° 1/2006. EUROPEAN COMMISSION, DIRECTORATE-GENERAL FOR ECONOMIC AND FINANCIAL AFFAIRS
2. Eberstadt N., H. G. Europe's coming demographic challenge: unlocking the value of health. *American Enterprise Institute for Public Policy Research*. 2007.
3. Europe Co. Recent demographic developments in Europe 2005 (2006) . *European population Committee of the Council of Europe: Strasbourg*.
4. Eurostat. First demographic estimates for 2005: statistics in focus.
http://epp.eurostat.ec.europa.eu/cache/ITY_OFFPUB/KS-NK-06-001/EN/KS-NK-06-001-EN.PDF. 2006.
5. Lee RD. Global population aging and its economic consequences. *Washington, D.C.:AEI Press, 2007*. 2007.
6. Corrada MM, Brookmeyer R, Paganini-Hill A, Berlau D, Kawas CH. Dementia incidence continues to increase with age in the oldest old: the 90+ study. *Ann Neurol*. Jan 2010;67(1):114-121.
7. Lally F, Crome P. Understanding frailty. *Postgraduate medical journal*. Jan 2007;83(975):16-20.
8. Mitnitski AB, Song X, Rockwood K. The estimation of relative fitness and frailty in community-dwelling older adults using self-report data. *J Gerontol A Biol Sci Med Sci*. Jun 2004;59(6):M627-632.
9. Morley JE, Vellas B, van Kan GA, et al. Frailty consensus: a call to action. *J Am Med Dir Assoc*. Jun 2013;14(6):392-397.
10. Collard RM, Boter H, Schoevers RA, Oude Voshaar RC. Prevalence of frailty in community-dwelling older persons: a systematic review. *J Am Geriatr Soc*. Aug 2012;60(8):1487-1492.
11. Blake AJ, Morgan K, Bendall MJ, et al. Falls by elderly people at home: prevalence and associated factors. *Age and ageing*. Nov 1988;17(6):365-372.
12. Graafmans WC, Ooms ME, Hofstee HM, Bezemer PD, Bouter LM, Lips P. Falls in the elderly: a prospective study of risk factors and risk profiles. *Am J Epidemiol*. Jun 1 1996;143(11):1129-1136.
13. Tinetti ME, Speechley M, Ginter SF. Risk factors for falls among elderly persons living in the community. *N Engl J Med*. Dec 29 1988;319(26):1701-1707.

14. Prince M, Bryce R, Albanese E, Wimo A, Ribeiro W, Ferri CP. The global prevalence of dementia: a systematic review and metaanalysis. *Alzheimer's & dementia : the journal of the Alzheimer's Association*. Jan 2013;9(1):63-75 e62.
15. Delbaere K, Kochan NA, Close JC, et al. Mild cognitive impairment as a predictor of falls in community-dwelling older people. *The American journal of geriatric psychiatry : official journal of the American Association for Geriatric Psychiatry*. Oct 2012;20(10):845-853.
16. Morris JC, Rubin EH, Morris EJ, Mandel SA. Senile dementia of the Alzheimer's type: an important risk factor for serious falls. *Journal of gerontology*. Jul 1987;42(4):412-417.
17. Gillespie LD, Robertson MC, Gillespie WJ, et al. Interventions for preventing falls in older people living in the community. *The Cochrane database of systematic reviews*. 2012;9:Cd007146.
18. Blondell SJ, Hammersley-Mather R, Veerman JL. Does physical activity prevent cognitive decline and dementia?: A systematic review and meta-analysis of longitudinal studies. *BMC public health*. 2014 2014;14:510.
19. Hauer K, Becker C, Lindemann U, Beyer N. Effectiveness of physical training on motor performance and fall prevention in cognitively impaired older persons: a systematic review. *American journal of physical medicine & rehabilitation / Association of Academic Physiatrists*. Oct 2006;85(10):847-857.
20. Mitchell AJ, Beaumont H, Ferguson D, Yadegarfar M, Stubbs B. Risk of dementia and mild cognitive impairment in older people with subjective memory complaints: meta-analysis. *Acta psychiatrica Scandinavica*. Dec 2014;130(6):439-451.
21. Jessen F, Amariglio RE, van Bostel M, et al. A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. *Alzheimer's & dementia : the journal of the Alzheimer's Association*. Nov 2014;10(6):844-852.
22. Montero-Odasso M, Verghese J, Beauchet O, Hausdorff JM. Gait and cognition: a complementary approach to understanding brain function and the risk of falling. *Journal of the American Geriatrics Society*. Nov 2012;60(11):2127-2136.
23. Book S. Alliance for Aging Research. <http://www.agingresearch.org>. 2013.
24. Commission E. Healthy Ageing: A keystone of a sustainable Europe. http://ec.europa.eu/health/ph_information/indicators/docs/healthy_ageing_en.pdf. 2007.
25. Visser M, Schaap LA. Consequences of sarcopenia. *Clin Geriatr Med*. Aug 2011;27(3):387-399.
26. Schmidt R, Schmidt H, Curb JD, Masaki K, White LR, Launer LJ. Early inflammation and dementia: a 25-year follow-up of the Honolulu-Asia Aging Study. *Ann Neurol*. Aug 2002;52(2):168-174.
27. Boyle PA, Buchman AS, Wilson RS, Leurgans SE, Bennett DA. Association of muscle strength with the risk of Alzheimer disease and the rate of cognitive decline in community-dwelling older persons. *Arch Neurol*. Nov 2009;66(11):1339-1344.
28. Tinetti ME, Williams CS. Falls, injuries due to falls, and the risk of admission to a nursing home. *N Engl J Med*. Oct 30 1997;337(18):1279-1284.
29. Banaszak-Holl J, Fendrick AM, Foster NL, et al. Predicting nursing home admission: estimates from a 7-year follow-up of a nationally representative sample of older Americans. *Alzheimer disease and associated disorders*. Apr-Jun 2004;18(2):83-89.
30. Covic A, Gusbeth-Tatomir P, Goldsmith DJ. Vascular calcification--a new window on the cardiovascular system: role of agents used to manipulate skeletal integrity. *Semin Dial*. Mar-Apr 2007;20(2):158-169.
31. Janssen I, Shepard DS, Katzmarzyk PT, Roubenoff R. The healthcare costs of sarcopenia in the United States. *J Am Geriatr Soc*. Jan 2004;52(1):80-85.
32. WHO. A Glossary of Terms for Community Health Care and Services. http://www.who.int/kobe_centre/ageing/ahp_vol5_glossary.pdf. 2004.
33. CDC. The state of aging and health in America 2013. http://www.who.int/kobe_centre/ageing/ahp_vol5_glossary.pdf. 2013.
34. Commission E. Healthy ageing: a key stone for a sustainable Europe . http://ec.europa.eu/health/archive/ph_information/indicators/docs/healthy_ageing_en.pdf. 2007.
35. Motion Ai. Aging in Motion: the facts about sarcopenia. http://www.aginginmotion.org/wp-content/uploads/2011/04/sarcopenia_fact_sheet.pdf. 2013.
36. Sayer AA. Sarcopenia. *BMJ*. 2010;341:c4097.
37. Evans WJ. Endpoints and indicators for the older population. http://www.ema.europa.eu/docs/en_GB/document_library/Presentation/2012/04/WC500125114.pdf. 2012.
38. Buchner DM. Exercise slows functional decline in nursing home residents with Alzheimer's disease. *The Australian journal of physiotherapy*. 2007;53(3):204.
39. Verghese J, Lipton RB, Hall CB, Kuslansky G, Katz MJ, Buschke H. Abnormality of gait as a predictor of non-Alzheimer's dementia. *N Engl J Med*. Nov 28 2002;347(22):1761-1768.
40. Tseng CN, Gau BS, Lou MF. The effectiveness of exercise on improving cognitive function in older people: a systematic review. *The journal of nursing research : JNR*. Jun 2011;19(2):119-131.
41. Chan WC, Fai Yeung JW, Man Wong CS, et al. Efficacy of physical exercise in preventing falls in older adults with cognitive impairment: a systematic review and meta-analysis. *Journal of the American Medical Directors Association*. Feb 1 2015;16(2):149-154.
42. Bischoff-Ferrari HA, Dawson-Hughes B, Platz A, et al. Effect of high-dosage cholecalciferol and extended physiotherapy on complications after hip fracture: a randomized controlled trial. *Archives of internal medicine*. May 10 2010;170(9):813-820.

43. Jonsson L, Wimo A. The cost of dementia in Europe: a review of the evidence, and methodological considerations. *PharmacoEconomics*. 2009;27(5):391-403.
44. Hofman A, Rocca WA, Brayne C, et al. The prevalence of dementia in Europe: a collaborative study of 1980-1990 findings. Eurodem Prevalence Research Group. *International journal of epidemiology*. Sep 1991;20(3):736-748.
45. Hendrie HC. Epidemiology of dementia and Alzheimer's disease. *The American journal of geriatric psychiatry : official journal of the American Association for Geriatric Psychiatry*. Spring 1998;6(2 Suppl 1):S3-18.
46. Berr C, Wancata J, Ritchie K. Prevalence of dementia in the elderly in Europe. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology*. Aug 2005;15(4):463-471.
47. Feldman HH, Jacova C. Mild cognitive impairment. *The American journal of geriatric psychiatry : official journal of the American Association for Geriatric Psychiatry*. Aug 2005;13(8):645-655.
48. Roberts R, Knopman DS. Classification and epidemiology of MCI. *Clinics in geriatric medicine*. Nov 2013;29(4):753-772.
49. Alzheimervereinigung S. Zahlen und Fakten zur Demenz <http://www.alz.ch/index.php/zahlen-zur-demenz.html>. Accessed February 19, 9:42 am, 2015.
50. Health FOoP. *National Dementia Strategy 2014-2017*. 2014.
51. Bischoff-Ferrari H. Fragility fractures: the future epidemic and its challenges. *Skeletal radiology*. Feb 2013;42(2):161-163.
52. Bischoff-Ferrari HA. In three steps to unbreakable bones. *IOF report World Osteoporosis Report 2011*. 2011;http://www.iofbonehealth.org/sites/default/files/PDFs/WOD Reports/WOD11_Report.pdf(access July 26, 2015).
53. Tinetti ME. Risk factors for falls among elderly persons living in the community. *N Engl J Med*. 1988;319:1701-1707.
54. Campbell AJ, Reinken J, Allan BC, Martinez GS. Falls in old age: a study of frequency and related clinical factors. *Age Ageing*. Nov 1981;10(4):264-270.
55. Massy ZA, Slama M, Tribouilloy C, Druke TB. Animal models--what they can tell us about vascular calcification in CKD. *Semin Dial*. Mar-Apr 2007;20(2):110-112.
56. Fatalities and injuries from falls among older adults--United States, 1993-2003 and 2001-2005. *MMWR Morb Mortal Wkly Rep*. Nov 17 2006;55(45):1221-1224.
57. Tinetti ME, Williams CS. The effect of falls and fall injuries on functioning in community-dwelling older persons. *J Gerontol A Biol Sci Med Sci*. 1998;53(2):M112-119.
58. Tinetti ME, Williams CS. Falls, injuries due to falls, and the risk of admission to a nursing home. *N Engl J Med*. 1997;337(18):1279-1284.
59. Tinetti ME, Richman D, Powell L. Falls efficacy as a measure of fear of falling. *J Gerontol*. Nov 1990;45(6):P239-243.
60. Ambrose AF, Paul G, Hausdorff JM. Risk factors for falls among older adults: a review of the literature. *Maturitas*. May 2013;75(1):51-61.
61. Muir SW, Gopaul K, Montero Odasso MM. The role of cognitive impairment in fall risk among older adults: a systematic review and meta-analysis. *Age and ageing*. May 2012;41(3):299-308.
62. Maki BE. Gait changes in older adults: predictors of falls or indicators of fear. *Journal of the American Geriatrics Society*. Mar 1997;45(3):313-320.
63. Hausdorff JM, Rios DA, Edelberg HK. Gait variability and fall risk in community-living older adults: a 1-year prospective study. *Archives of physical medicine and rehabilitation*. Aug 2001;82(8):1050-1056.
64. Ijmker T, Lamothe CJ. Gait and cognition: the relationship between gait stability and variability with executive function in persons with and without dementia. *Gait & posture*. Jan 2012;35(1):126-130.
65. Mirelman A, Herman T, Brozgol M, et al. Executive function and falls in older adults: new findings from a five-year prospective study link fall risk to cognition. *PloS one*. 2012;7(6):e40297.
66. Bridenbaugh SA, Kressig RW. Motor cognitive dual tasking : Early detection of gait impairment, fall risk and cognitive decline. *Zeitschrift fur Gerontologie und Geriatrie*. Jan 2015;48(1):15-21.
67. Buracchio T, Dodge HH, Howieson D, Wasserman D, Kaye J. The trajectory of gait speed preceding mild cognitive impairment. *Archives of neurology*. Aug 2010;67(8):980-986.
68. Phillips C, Baktir MA, Srivatsan M, Salehi A. Neuroprotective effects of physical activity on the brain: a closer look at trophic factor signaling. *Frontiers in cellular neuroscience*. 2014;8:170.
69. Cotman CW, Berchtold NC, Christie LA. Exercise builds brain health: key roles of growth factor cascades and inflammation. *Trends in neurosciences*. Sep 2007;30(9):464-472.
70. Lista I, Sorrentino G. Biological mechanisms of physical activity in preventing cognitive decline. *Cellular and molecular neurobiology*. May 2010;30(4):493-503.
71. Coelho FG, Gobbi S, Andreatto CA, Corazza DI, Pedrosa RV, Santos-Galduroz RF. Physical exercise modulates peripheral levels of brain-derived neurotrophic factor (BDNF): a systematic review of experimental studies in the elderly. *Archives of gerontology and geriatrics*. Jan-Feb 2013;56(1):10-15.
72. Al-Delaimy WK, von Muhlen D, Barrett-Connor E. Insulinlike growth factor-1, insulinlike growth factor binding protein-1, and cognitive function in older men and women. *J Am Geriatr Soc*. Aug 2009;57(8):1441-1446.
73. Ng T, Cheung YT, Ng QS, Ho HK, Chan A. Vascular endothelial growth factor inhibitors and cognitive impairment: evidence and controversies. *Expert opinion on drug safety*. Jan 2014;13(1):83-92.

74. Barrientos RM, Kitt MM, Watkins LR, Maier SF. Neuroinflammation in the normal aging hippocampus. *Neuroscience*. Nov 19 2015;309:84-99.
75. Maggio M, Guralnik JM, Longo DL, Ferrucci L. Interleukin-6 in aging and chronic disease: a magnificent pathway. *The journals of gerontology. Series A, Biological sciences and medical sciences*. Jun 2006;61(6):575-584.
76. Gleeson M, Bishop NC, Stensel DJ, Lindley MR, Mastana SS, Nimmo MA. The anti-inflammatory effects of exercise: mechanisms and implications for the prevention and treatment of disease. *Nature reviews. Immunology*. Sep 2011;11(9):607-615.
77. Nascimento CM, Pereira JR, Pires de Andrade L, et al. Physical exercise improves peripheral BDNF levels and cognitive functions in mild cognitive impairment elderly with different bdnf Val66Met genotypes. *Journal of Alzheimer's disease : JAD*. 2015;43(1):81-91.
78. Jehn CF, Becker B, Flath B, et al. Neurocognitive function, brain-derived neurotrophic factor (BDNF) and IL-6 levels in cancer patients with depression. *Journal of neuroimmunology*. Oct 15 2015;287:88-92.
79. Higashi Y, Sukhanov S, Anwar A, Shai SY, Delafontaine P. IGF-1, oxidative stress and atheroprotection. *Trends in endocrinology and metabolism: TEM*. Apr 2010;21(4):245-254.
80. Schaap LA, Pluijm SM, Deeg DJ, Visser M. Inflammatory markers and loss of muscle mass (sarcopenia) and strength. *Am J Med*. Jun 2006;119(6):526 e529-517.
81. Velloso CP. Regulation of muscle mass by growth hormone and IGF-I. *British journal of pharmacology*. Jun 2008;154(3):557-568.
82. Schlögl M, Kressig R. Rythmik nach Emile Jaques-Dalcroze im Alter. *Der informierte Arzt*. Vol 22012.
83. Jaques-Dalcroze E. *THE EURHYTHMICS OF JAQUES-DALCROZE*. Read Books Ltd. ; 2013.
84. Kressig RW, Allali G, Beauchet O. Long-term practice of Jaques-Dalcroze eurhythmics prevents age-related increase of gait variability under a dual task. *Journal of the American Geriatrics Society*. Apr 2005;53(4):728-729.
85. Trombetti A, Hars M, Herrmann FR, Kressig RW, Ferrari S, Rizzoli R. Effect of music-based multitask training on gait, balance, and fall risk in elderly people: a randomized controlled trial. *Arch Intern Med*. Mar 28 2011;171(6):525-533.
86. Hars M, Herrmann FR, Gold G, Rizzoli R, Trombetti A. Effect of music-based multitask training on cognition and mood in older adults. *Age and ageing*. Mar 2014;43(2):196-200.
87. Oliver D, Connelly JB, Victor CR, et al. Strategies to prevent falls and fractures in hospitals and care homes and effect of cognitive impairment: systematic review and meta-analyses. *BMJ (Clinical research ed.)*. Jan 13 2007;334(7584):82.
88. Guo JL, Tsai YY, Liao JY, Tu HM, Huang CM. Interventions to reduce the number of falls among older adults with/without cognitive impairment: an exploratory meta-analysis. *International journal of geriatric psychiatry*. Jul 2014;29(7):661-669.
89. Bunn F, Dickinson A, Simpson C, et al. Preventing falls among older people with mental health problems: a systematic review. *BMC nursing*. 2014;13(1):4.
90. Ngandu T, Lehtisalo J, Solomon A, et al. A 2 year multidomain intervention of diet, exercise, cognitive training, and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): a randomised controlled trial. *Lancet*. Jun 6 2015;385(9984):2255-2263.
91. Abdulrab K, Heun R. Subjective Memory Impairment. A review of its definitions indicates the need for a comprehensive set of standardised and validated criteria. *European psychiatry : the journal of the Association of European Psychiatrists*. Aug 2008;23(5):321-330.
92. Jessen F, Dodel R. [Prediction of Alzheimer's dementia]. *Der Nervenarzt*. Oct 2014;85(10):1233-1237.
93. Ronnlund M, Sundstrom A, Adolfsson R, Nilsson LG. Self-Reported Memory Failures: Associations with Future Dementia in a Population-Based Study with Long-Term Follow-Up. *Journal of the American Geriatrics Society*. Sep 2015;63(9):1766-1773.
94. Jessen F, Feyen L, Freymann K, et al. Volume reduction of the entorhinal cortex in subjective memory impairment. *Neurobiology of aging*. Dec 2006;27(12):1751-1756.
95. van der Flier WM, van Buchem MA, Weverling-Rijnsburger AW, et al. Memory complaints in patients with normal cognition are associated with smaller hippocampal volumes. *Journal of neurology*. Jun 2004;251(6):671-675.
96. Scheef L, Spottke A, Daerr M, et al. Glucose metabolism, gray matter structure, and memory decline in subjective memory impairment. *Neurology*. Sep 25 2012;79(13):1332-1339.
97. Schultz SA, Oh JM, Kosciak RL, et al. Subjective memory complaints, cortical thinning, and cognitive dysfunction in middle-aged adults at risk for AD. *Alzheimer's & dementia : diagnosis, assessment & disease monitoring*. Mar 1 2015;1(1):33-40.
98. Wang PJ, Saykin AJ, Flashman LA, et al. Regionally specific atrophy of the corpus callosum in AD, MCI and cognitive complaints. *Neurobiology of aging*. Nov 2006;27(11):1613-1617.
99. Saykin AJ, Wishart HA, Rabin LA, et al. Older adults with cognitive complaints show brain atrophy similar to that of amnesic MCI. *Neurology*. Sep 12 2006;67(5):834-842.
100. Tepest R, Wang L, Csernansky JG, et al. Hippocampal surface analysis in subjective memory impairment, mild cognitive impairment and Alzheimer's dementia. *Dementia and geriatric cognitive disorders*. 2008;26(4):323-329.
101. Wang Y, West JD, Flashman LA, et al. Selective changes in white matter integrity in MCI and older adults with cognitive complaints. *Biochimica et biophysica acta*. Mar 2012;1822(3):423-430.
102. Vellas B, Aisen PS, Sampaio C, et al. Prevention trials in Alzheimer's disease: an EU-US task force report. *Progress in neurobiology*. Dec 2011;95(4):594-600.

103. Qaseem A, Snow V, Cross JT, Jr., et al. Current pharmacologic treatment of dementia: a clinical practice guideline from the American College of Physicians and the American Academy of Family Physicians. *Ann Intern Med.* Mar 4 2008;148(5):370-378.
104. Bischoff-Ferrari HA, Dawson-Hughes B, Orav EJ, et al. Monthly High-Dose Vitamin D Treatment for the Prevention of Functional Decline: A Randomized Clinical Trial. *JAMA internal medicine.* Feb 1 2016;176(2):175-183.
105. Rabin LA, Smart CM, Crane PK, et al. Subjective Cognitive Decline in Older Adults: An Overview of Self-Report Measures Used Across 19 International Research Studies. *Journal of Alzheimer's disease : JAD.* 2015 Sep 24 2015;48 Suppl 1:S63-86.
106. Crook TH, 3rd, Feher EP, Larrabee GJ. Assessment of memory complaint in age-associated memory impairment: the MAC-Q. *International psychogeriatrics / IPA.* Fall 1992;4(2):165-176.
107. Thiel C, Vogt L, Tesky VA, et al. Cognitive intervention response is related to habitual physical activity in older adults. *Aging clinical and experimental research.* 2012 Feb 2012;24:47-55.
108. Slavin MJ, Brodaty H, Kochan NA, et al. Prevalence and predictors of "subjective cognitive complaints" in the Sydney Memory and Ageing Study. *The American journal of geriatric psychiatry : official journal of the American Association for Geriatric Psychiatry.* 2010 Aug 2010;18:701-710.
109. Freitas S, Simoes MR, Alves L, Santana I. Montreal cognitive assessment: validation study for mild cognitive impairment and Alzheimer disease. *Alzheimer disease and associated disorders.* Jan-Mar 2013;27(1):37-43.
110. Goldinger SM, Dummer R, Schmid P, Burg G, Seifert B, Lauchli S. Combination of 308-nm xenon chloride excimer laser and topical calcipotriol in vitiligo. *J Eur Acad Dermatol Venereol.* Apr 2007;21(4):504-508.
111. Blackburn DJ, Wakefield S, Shanks MF, Harkness K, Reuber M, Venneri A. Memory difficulties are not always a sign of incipient dementia: a review of the possible causes of loss of memory efficiency. *British medical bulletin.* 2014 Dec 2014;112:71-81.
112. Pocklington C, Gilbody S, Manea L, McMillan D. The diagnostic accuracy of brief versions of the Geriatric Depression Scale: a systematic review and meta-analysis. *Int J Geriatr Psychiatry.* Feb 18 2016.
113. Bischoff-Ferrari HA, Dawson-Hughes B, Staehelin HB, et al. Fall prevention with supplemental and active forms of vitamin D: a meta-analysis of randomised controlled trials. *BMJ.* 2009;339:b3692.
114. Bischoff-Ferrari HA, Orav EJ, Willett WC, et al. A pooled analysis of vitamin D dose requirements for fracture prevention. *New England Journal of Medicine; July 5th 2012.* 2012.
115. Vitamin-D-Versorgung der Bevölkerung: Neue Empfehlungen des BAG. 2012; <http://www.bag.admin.ch/dokumentation/medieninformationen/01217/index.html?lang=de&msg-id=44932>. Accessed December 16, 2013.
116. Bischoff Ferrari HAea. Vitamin D Summary Report BAG. <http://www.blv.admin.ch/themen/04679/05108/05869/index.html>. 2012.
117. IOM. Dietary Reference Ranges for Calcium and Vitamin D. <http://www.iom.edu/Reports/2010/Dietary-Reference-Intakes-for-Calcium-and-Vitamin-D.aspx> (access Feb13.2012). 2010.
118. Morris JC, Mohs RC, Rogers H, Fillenbaum G, Heyman A. Consortium to establish a registry for Alzheimer's disease (CERAD) clinical and neuropsychological assessment of Alzheimer's disease. *Psychopharmacology bulletin.* 1988;24(4):641-652.
119. Ehrensperger MM, Berres M, Taylor KI, Monsch AU. Early detection of Alzheimer's disease with a total score of the German CERAD. *Journal of the International Neuropsychological Society : JINS.* 2010 Sep 2010;16:910-920.
120. Rossetti HC, Munro Cullum C, Hynan LS, Lacritz LH. The CERAD Neuropsychologic Battery Total Score and the progression of Alzheimer disease. *Alzheimer disease and associated disorders.* 2010 Apr-Jun 2010;24:138-142.
121. Lamb SE, Jorstad-Stein EC, Hauer K, Becker C. Development of a common outcome data set for fall injury prevention trials: the Prevention of Falls Network Europe consensus. *Journal of the American Geriatrics Society.* Sep 2005;53(9):1618-1622.
122. Kressig RW, Beauchet O. Guidelines for clinical applications of spatio-temporal gait analysis in older adults. *Aging clinical and experimental research.* Apr 2006;18(2):174-176.
123. Seshadri S, Beiser A, Selhub J, et al. Plasma homocysteine as a risk factor for dementia and Alzheimer's disease. *The New England journal of medicine.* Feb 14 2002;346(7):476-483.
124. Seshadri S. Elevated plasma homocysteine levels: risk factor or risk marker for the development of dementia and Alzheimer's disease? *Journal of Alzheimer's disease : JAD.* Aug 2006;9(4):393-398.
125. Quadri P, Fragiaco C, Pezzati R, et al. Homocysteine, folate, and vitamin B-12 in mild cognitive impairment, Alzheimer disease, and vascular dementia. *The American journal of clinical nutrition.* Jul 2004;80(1):114-122.
126. Ghosh A, Giese KP. Calcium/calmodulin-dependent kinase II and Alzheimer's disease. *Molecular brain.* 2015;8(1):78.
127. Mapstone M, Cheema AK, Fiandaca MS, et al. Plasma phospholipids identify antecedent memory impairment in older adults. *Nature medicine.* Apr 2014;20(4):415-418.
128. Jorde R, Mathiesen EB, Rogne S, et al. Vitamin D and cognitive function: The Tromso Study. *Journal of the neurological sciences.* Aug 15 2015;355(1-2):155-161.
129. Annweiler C, Allali G, Allain P, et al. Vitamin D and cognitive performance in adults: a systematic review. *European journal of neurology : the official journal of the European Federation of Neurological Societies.* Oct 2009;16(10):1083-1089.
130. Bischoff-Ferrari HA. Relevance of vitamin D in muscle health. *Rev Endocr Metab Disord.* Mar 2012;13(1):71-77.

131. Campbell AJ, Borrie MJ, Spears GF, Jackson SL, Brown JS, Fitzgerald JL. Circumstances and consequences of falls experienced by a community population 70 years and over during a prospective study. *Age Ageing*. Mar 1990;19(2):136-141.
132. Rossetti HC, Munro Cullum C, Hynan LS, Lacritz LH. The CERAD Neuropsychologic Battery Total Score and the progression of Alzheimer disease. *Alzheimer disease and associated disorders*. Apr-Jun 2010;24(2):138-142.
133. Jessen F, Wiese B, Cvetanovska G, et al. Patterns of subjective memory impairment in the elderly: association with memory performance. *Psychological medicine*. Dec 2007;37(12):1753-1762.
134. Alzheimervereinigung S. Leben mit Demenz in der Schweiz Eckdaten 2. 2004.